

Translation

(1) **Production Quality Assurance  
Notification**



(2) Equipment and protective systems intended for use in potentially explosive atmospheres, **Directive 2014/34/EU**



(3) **Notification Number: TÜV 99 ATEX 1454 Q**

(4) Product category:  
Manufacturing and Distribution of instruments for measurement and control

Protective principle:  
Flameproof enclosures  
Intrinsic safety  
Increased safety  
Protection by enclosures  
Pressurized enclosures  
Encapsulation

(5) Applicant: Jumo GmbH & Co. KG  
Moritz-Juchheim-Straße 1  
36039 Fulda  
Germany

(6) Manufacturer: Same as Applicant      Manufacturing location: Same as Applicant

Order number: 8000468913

Date of issue: 2017-06-29

First certification: 1999-06-30

Valid to: 2020-06-29

(7) The TÜV NORD CERT GmbH, notified body No. 0044, in accordance with Article 17 of the Directive 2014/34/EU of the European Parliament and the Council of 26 February 2014, notifies the applicant that the manufacturer has a production quality system which complies with Annex IV of the Directive.

(8) This notification is based on audit report No. 17 202 194935 issued 2017-06-29. This notification can be withdrawn if the manufacturer no longer satisfies to the requirements of Annex IV. Results of periodical production quality reassessments are a part of this notification.

(9) In accordance with Article 16 (3) of the Directive 2014/34/EU the CE marking shall be followed by the identification number 0044 of the notified body TÜV NORD CERT GmbH.

The EC-Type Examination Certificates based on this notification are listed by the notified body.

TÜV NORD CERT GmbH, Langemarckstraße 20, 45141 Essen, notified by the central office of the countries for safety engineering (ZLS), Ident. Nr. 0044, legal successor of the TÜV NORD CERT GmbH & Co. KG Ident. Nr. 0032

The deputy head of the notified body

A blue ink signature of Christian Roder, written in a cursive style.  
Christian Roder

Hanover office, Am TÜV 1, 30519 Hanover, Tel. +49 511 998-61455, Fax +49 511 998-61590